


WALL & FLOOR MOUNT ENCLOSURES



Established in 1904 MCA Fabrication provides manufacturing services and produces electrical products in a 135,000 sqft facility located just outside Nashville.

POWER DISTRIBUTION
PANELBOARDS



LOW VOLTAGE
ENCLOSURES



MEDIUM VOLTAGE
ENCLOSURES



CIRCUIT PROTECTION
DEVICES



ENCLOSED
DISCONNECTS



METAL FABRICATION
SERVICES





Specializing in Standard and Custom Enclosures

Vertically Integrated Production
All Production Processes In-House
On-Site Product Design
Flexible Manufacturing
Fast Turnaround



Application

- Industrial controls and instruments
- Intended for indoor and outdoor use
- Protects against windblown dust and rain, splashing water, and hose directed water

Certification

- E519920
- UL508A and CSA C22.2 No. 94
- Type 1, 3R, 4, 4X, 12

Finish

- Enclosure Body – ANSI 61 grey (standard)
- Backpanel – Sky White (standard)
- Custom colors available

Construction

- All continuous welded seams finished smooth
- Heavy-duty hinges with stainless pins and hardware
- Quarter turn latches
- Formed lip around enclosure to divert liquids
- Gasketed doors to prevent dust, dirt, and water penetration



ORDERING CODE

Series

J Janus

Product

E Enclosure

Type

W Wall Mount

Size A (Height) INCHES

16 Inches

20 Inches

24 Inches

39 Inches

36 Inches

42 Inches

Size B (Width) INCHES

12 Inches

16 Inches

20 Inches

24 Inches

30 Inches

Size C (Depth) INCHES

6 Inches

8 Inches

10 Inches

12 Inches

16 Inches

Rating ENVIRONMENTAL

T1 Type 1

T3R Type 3R

T4 Type 4

T4X Type 4X

T12 Type 12

J E W 16 x 12 x 6 T1 Ordering Example

Application

- Industrial controls and instruments
- Intended for indoor and outdoor use
- Protects against windblown dust and rain, splashing water, and hose directed water

Certification

- E519920
- UL508A and CSA C22.2 No. 94
- Type 1, 3R, 4, 4X, 12

Finish

- Enclosure Body – ANSI 61 grey (standard)
- Backpanel – Sky White (standard)
- Custom colors available

Construction

- All continuous welded seams finished smooth
- Heavy-duty hinges with stainless pins and hardware
- Three-point latching mechanism
- Formed lip around enclosure to divert liquids
- Gasketed doors to prevent dust, dirt, and water penetration



ORDERING CODE

Series

J Janus

Product

E Enclosure

Type

F Floor Mount

Size A (Height) INCHES

60 Inches

74 Inches

80 Inches

Size B (Width) INCHES

24 Inches

32 Inches

40 Inches

Size C (Depth) INCHES

19 Inches

24 Inches

30 Inches

Rating ENVIRONMENTAL

T1 Type 1

T3R Type 3R

T4 Type 4

T4X Type 4X

T12 Type 12

J E F 60 x 24 x 19 T1 Ordering Example